

**Prepared By:**  
Anne Stehno  
Utah Fleet Operations  
801-619-7242  
annestehno@utah.gov

**Prepared For:**  
CLASS 0225 LB (bifuel)

## **2014 Ram 2500 4WD Crew Cab 169"**



### **2014 Ram 2500 4WD Crew Cab 169" Tradesman (DJ7L92)**

---

CLASS 0225 LB (bifuel)

TRUCK 3/4 TON CREW CAB 4X4 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

# Vehicle Report: Table of Contents

## VEHICLE INFORMATION

Selected Model	1
Selected Vehicle Colors	1
Selected Options	1
Aftermarket Options	1

## STANDARD EQUIPMENT

Mechanical	2
Exterior	2
Entertainment	3
Interior	3
Safety	3

## WARRANTY INFORMATION

Warranty Information	5
----------------------	---

## TECHNICAL SPECIFICATIONS

Chassis	6
Vehicle	8
Powertrain	8
Dimensions	9

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™.* Report content is based on data version 420, current as of 12/16/2013 at 19:01 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Vehicle Information

## SELECTED MODEL

Code	Description
DJ7L92	2014 Ram 2500 4WD Crew Cab 169" Tradesman

## SELECTED VEHICLE COLORS

## SELECTED OPTIONS

Code	Description
EZF	ENGINE: 5.7L V8 HEMI CNG, -inc: Electronically Controlled Throttle, Front Bumper Sight Shields, Hemi Badge, CNG Fuel System Badge, Compressed Natural Gas Vehicle, Instrument Cluster w/Display Screen (JAJ), 50 State Emissions, Next Generation Engine Controller, 260 Liter CNG Tank, 8 Gallon Fuel Tank
DFP	TRANSMISSION: 6-SPEED AUTOMATIC (66RFE), (STD)
27A	QUICK ORDER PACKAGE 27A TRADESMAN, -inc: Engine: 5.7L V8 HEMI CNG, Transmission: 6-Speed Automatic (66RFE), CAUTION: An optional 32 gallon fuel tank (NFX) is available on the 27A CPOS, This RAM 2500 includes an 8 gallon fuel tank, *Upon selection of this pkg, the cost of powertrain components will be added*
DME	3.73 REAR AXLE RATIO, (STD)
WBN	WHEELS: 18" X 8.0" STEEL, -inc: 18" Steel Spare Wheel, Tires: LT275/70R18E OWL On/Off Road
—	STANDARD PAINT
V9X8	DIESEL GRAY/BLACK, CLOTH 40/20/40 BENCH SEAT
AJY	POPULAR EQUIPMENT GROUP, -inc: Cloth 40/20/40 Bench Seat, Remote Keyless Entry, Carpet Floor Covering, Front & Rear Floor Mats, SIRIUSXM Satellite Radio, For More Info, Call 800-643-2112, 1-Yr SIRIUS Radio Service
ADB	PROTECTION GROUP, -inc: Transfer Case Skid Plate Shield
NAS	50 STATE EMISSIONS
DK3	ELECTRIC SHIFT-ON-THE-FLY TRANSFER CASE
XHC	TRAILER BRAKE CONTROL
NFX	32 GALLON FUEL TANK
TCP	TIRES: LT275/70R18E OWL ON/OFF ROAD
LM1	LOW BEAM DAYTIME RUNNING HEADLAMPS
RH1	SINGLE DISC REMOTE CD PLAYER
CK9	DELETE CARPET, -inc: Floor Mats Delete

## AFTERMARKET OPTIONS

### Dodg-MatCrw

Floormats, Truck, Mega Cab. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 420, current as of 12/16/2013 at 19:01 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Standard Equipment

## MECHANICAL

Engine: 5.7L V8 HEMI VVT -inc: 50 State Emissions  
Transmission: 6-Speed Automatic (66RFE)  
3.73 Rear Axle Ratio  
GVWR: 9,000 lbs  
Transmission w/Driver Selectable Mode, Sequential Shift Control and Oil Cooler  
Manual Transfer Case  
Part-Time Four-Wheel Drive  
730CCA Maintenance-Free Battery w/Run Down Protection  
160 Amp Alternator  
Class V Towing w/Harness, Hitch and Trailer Sway Control  
2160# Maximum Payload  
HD Shock Absorbers  
Front Anti-Roll Bar  
Hydraulic Power-Assist Steering  
32 Gal. Fuel Tank  
Single Stainless Steel Exhaust  
Auto Locking Hubs  
Multi-Link Front Suspension w/Coil Springs  
Multi-Link Rear Suspension w/Coil Springs  
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Panic Brake Assist and Hill Hold Control

## EXTERIOR

Wheels: 17" x 7.5" Steel Styled  
Tires: LT245/70R17E BSW AS  
Regular Box Style  
Center Hub  
Steel Spare Wheel  
Full-Size Spare Tire Stored Underbody w/Crankdown  
Clearcoat Paint  
Black Front Bumper  
Black Rear Step Bumper  
Black Side Windows Trim and Black Front Windshield Trim  
Black Door Handles  
Power Side Mirrors w/Manual Folding  
Black Exterior Mirrors  
Exterior Mirrors w/Heating Element  
Fixed Rear Window  
Variable Intermittent Wipers  
Deep Tinted Glass  
Fully Galvanized Steel Panels  
Black Grille  
Front License Plate Bracket  
Tailgate Rear Cargo Access  
Manual Tailgate/Rear Door Lock  
Fully Automatic Aero-Composite Halogen Headlamps w/Delay-Off  
Cargo Lamp Integrated w/High Mount Stop Light

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 420, current as of 12/16/2013 at 19:01 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## ENTERTAINMENT

Radio: Uconnect 3.0 AM/FM  
Radio w/Clock and Radio Data System  
6 Speakers  
Fixed Antenna  
Media Hub (USB, AUX)

## INTERIOR

Vinyl Front Seats w/Vinyl Back Material  
4-Way Driver Seat  
4-Way Passenger Seat  
Vinyl Rear Seat  
Manual Tilt Steering Column  
Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter and Trip Odometer  
Power Rear Windows  
Rear Folding Seat  
Cruise Control w/Steering Wheel Controls  
Manual Air Conditioning  
HVAC -inc: Underseat Ducts and Console Ducts  
Glove Box  
Interior Trim -inc: Metal-Look Instrument Panel Insert and Chrome And Metal-Look Interior Accents  
Full Cloth Headliner  
Urethane Gear Shift Knob  
Day-Night Rearview Mirror  
2 12V DC Power Outlets  
Fade-To-Off Interior Lighting  
Full Vinyl/Rubber Floor Covering  
Cargo Area Concealed Storage  
Storage Tray  
Pickup Cargo Box Lights  
Mini Floor Console  
Instrument Panel Bin, Dashboard Storage, Driver / Passenger And Rear Door Bins and 2nd Row Underseat Storage  
Delayed Accessory Power  
Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down  
Power Door Locks  
Systems Monitor  
Analog Display  
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints  
Rear Center Armrest  
Front Armrest w/Cupholders  
40/20/40 Split Bench Seat  
Sentry Key Engine Immobilizer

## SAFETY

Electronic Stability Control (ESC)  
ABS And Driveline Traction Control  
Side Impact Beams  
Dual Stage Driver And Passenger Seat-Mounted Side Airbags  
Tire Specific Low Tire Pressure Warning  
Dual Stage Driver And Passenger Front Airbags

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 420, current as of 12/16/2013 at 19:01 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Airbag Occupancy Sensor

Curtain 1st And 2nd Row Airbags

Rear Child Safety Locks

Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners

All specifications are subject to change without notice.

---

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™.* Report content is based on data version 420, current as of 12/16/2013 at 19:01 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Warranty Information

Basic:
3 Years/36,000 Miles
Drivetrain:
5 Years/100,000 Miles
Corrosion:
5 Years/100,000 Miles
Roadside Assistance:
3 Years/36,000 Miles

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™.* Report content is based on data version 420, current as of 12/16/2013 at 19:01 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Technical Specifications

## CHASSIS

### Weight Information

Trim Curb Weight	6840.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3961.00 lbs
Base Trim Weight - Rear	2879.00 lbs
Gross Axle Wt Rating - Front	5250 lbs
Gross Axle Wt Rating - Rear	6000 lbs
Curb Weight - Front	3961 lbs
Curb Weight - Rear	2879 lbs
Option Weight - Front	202.00 lbs
Option Weight - Rear	555.00 lbs
Reserve Axle Capacity - Front	1087.00 lbs
Reserve Axle Capacity - Rear	2566.00 lbs
As Spec'd Curb Weight	7597.00 lbs
As Spec'd Payload	1403.00 lbs
Maximum Payload Capacity	2160.00 lbs
Gross Combined Wt Rating	15000 lbs
Gross Axle Weight Rating	11250.00 lbs
Curb Weight	6840.00 lbs
Reserve Axle Capacity	3653.00 lbs
Total Option Weight	757.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	9000.00 lbs

### Trailer

Dead Weight Hitch - Max Trailer Wt.	7230 lbs
Dead Weight Hitch - Max Tongue Wt.	723 lbs
Wt Distributing Hitch - Max Trailer Wt.	7230 lbs
Wt Distributing Hitch - Max Tongue Wt.	1085 lbs
Maximum Trailing Capacity	7230 lbs

### Frame

Frame Type	N/A
Sect Modulus Rails Only	N/A in <sup>3</sup>
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 420, current as of 12/16/2013 at 19:01 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.



## Suspension

Suspension Type - Front	N/A
Suspension Type - Rear	N/A
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	Non-Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	5250 lbs
Axle Capacity - Rear	6010 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

## Tires

Front Tire Order Code	TCP
Rear Tire Order Code	TCP
Spare Tire Order Code	
Front Tire Size	LT275/70SR18
Rear Tire Size	LT275/70SR18
Spare Tire Size	Full-Size
Front Tire Capacity	7280 lbs
Rear Tire Capacity	7280 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	628
Revolutions/Mile @ 45 mph - Rear	628
Revolutions/Mile @ 45 mph - Spare	N/A

## Wheels

Front Wheel Size	18 X 8 in
Rear Wheel Size	18 X 8 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Styled Steel
Rear Wheel Material	Styled Steel
Spare Wheel Material	Steel

## Steering

Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	49.2 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 420, current as of 12/16/2013 at 19:01 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

**Brakes**

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes
Front Brake Rotor Diam x Thickness	14.2 in
Rear Brake Rotor Diam x Thickness	14.1 in
Drum - Rear (Yes or )	
Rear Drum Diam x Width	

**Fuel Tank**

Fuel Tank Capacity, Approx	8 gal
Aux Fuel Tank Capacity, Approx	8 gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

**VEHICLE**

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

**POWERTRAIN****Transmission**

Drivetrain	Four Wheel Drive
Trans Order Code	DFP
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	3.23
Second Gear Ratio (:1)	1.84
Third Gear Ratio (:1)	1.41
Fourth Gear Ratio (:1)	1.00
Fifth Gear Ratio (:1)	0.82
Sixth Gear Ratio (:1)	0.62
Reverse Ratio (:1)	4.44
Clutch Size	N/A in
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	

**carbookfleetedition**

**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 420, current as of 12/16/2013 at 19:01 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

**Mileage**

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

**Engine**

Engine Order Code	EZF
Engine Type	Bi-Fuel - Gas/Cng V-8
Displacement	5.7 L/345
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	383 @ 5600
SAE Net Torque @ RPM	400 @ 4000
Engine Oil Cooler	None

**Electrical**

Cold Cranking Amps @ 0° F (Primary)	730
Cold Cranking Amps @ 0° F (2nd)	730
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	160

**Cooling System**

Total Cooling System Capacity	N/A qts
-------------------------------	---------

**DIMENSIONS****Interior Dimensions**

Passenger Capacity	6
Front Head Room	41 in
Front Leg Room	41 in
Front Shoulder Room	66 in
Front Hip Room	63.2 in
Second Head Room	39.9 in
Second Leg Room	40.3 in
Second Shoulder Room	65.7 in
Second Hip Room	63.2 in

**carbookfleetedition**

**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™.* Report content is based on data version 420, current as of 12/16/2013 at 19:01 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Exterior Dimensions

Wheelbase	169 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	79.4 in
Height, Overall	77.6 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	56.7 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	35.6 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	7.2 in
Ground Clearance, Rear	7.2 in
Body Length	0.00 ft
Cab to Body	N/A in

## Cargo Area Dimensions

Cargo Box Length @ Floor	58.4 in
Cargo Box Width @ Top, Rear	66.4 in
Cargo Box Width @ Floor	66.4 in
Cargo Box Width @ Wheelhousings	51 in
Cargo Box (Area) Height	20.2 in
Tailgate Width	N/A in
Cargo Volume	44.9 ft <sup>3</sup>
Ext'd Cab Cargo Volume	N/A ft <sup>3</sup>

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 420, current as of 12/16/2013 at 19:01 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.